

product and not a component; and (3) verify the document defines safety test specifications (not installation or operational performance specifications). OSHA becomes aware of new test standards through various avenues. For example, OSHA may become aware of new test standards by: (1) monitoring notifications issued by certain Standards Development Organizations; (2) reviewing applications by NRTLs or applicants seeking recognition to include new test standards in their scopes of recognition; and (3) obtaining notification from manufacturers, manufacturing organizations, government agencies, or other parties. OSHA may determine to include a new test standard in the list, for example, if the test standard is for a particular type of product that another test standard also covers or it covers a type of product that no standard previously covered.

In this notice, OSHA proposes to add one new test standard to the NRTL Program's list of appropriate test standards. Table 2, below, lists the test standard that is new to the NRTL Program. OSHA preliminarily determines that this test standard is an appropriate test standard. OSHA seeks public comment on this preliminary determination.

TABLE 2—STANDARD OSHA PROPOSES TO ADD TO THE NRTL PROGRAM'S LIST OF APPROPRIATE TEST STANDARDS

Test standard	Test standard title
UL 3741	Photovoltaic Hazard Control.

IV. Preliminary Findings on the Application

UL submitted an acceptable application for expansion of the scope of recognition. OSHA's review of the application files and related material preliminarily indicates that UL can meet the requirements prescribed by 29 CFR 1910.7 for expanding recognition to include the addition of the test standard listed above for NRTL testing and certification. This preliminary finding does not constitute an interim or temporary approval of UL's application.

OSHA also preliminarily determined that the test standard listed above is an appropriate test standard.

OSHA seeks public comment on these preliminary determinations.

V. Public Participation

OSHA welcomes public comment as to whether UL meets the requirements of 29 CFR 1910.7 for expansion of recognition as a NRTL and whether the

test standard listed above is an appropriate test standard that should be included in the NRTL Program's List of Appropriate Test Standards. Comments should consist of pertinent written documents and exhibits.

Commenters needing more time to request by the due date for comments. OSHA will limit any extension to 10 days unless the requester justifies a longer time period. OSHA may deny a request for an extension if it is not adequately justified.

To review copies of the exhibits identified in this notice, as well as comments submitted to the docket, contact the Docket Office, Occupational Safety and Health Administration, U.S. Department of Labor. These materials also are generally available online at <https://www.regulations.gov> under Docket No. OSHA-2009-0025 (for further information, see the "Docket" heading in the section of this notice titled **ADDRESSES**).

OSHA staff will review all comments to the docket submitted in a timely manner and after addressing the issues raised by these comments, make a recommendation to the Assistant Secretary for Occupational Safety and Health on whether to grant UL's application for expansion of its scope of recognition and to add the test standards listed above to the NRTL Program's List of Appropriate Test Standards. The Assistant Secretary will make the final decision on granting the application and on adding the test standard listed above to the NRTL Program's List of Appropriate Test Standards. In making these decisions, the Assistant Secretary may undertake other proceedings prescribed in Appendix A to 29 CFR 1910.7.

OSHA will publish a public notice of its final decision in the **Federal Register**.

VI. Authority and Signature

James S. Frederick, Deputy Assistant Secretary of Labor for Occupational Safety and Health, authorized the preparation of this notice. Accordingly, the agency is issuing this notice pursuant to 29 U.S.C. 657(g)(2), Secretary of Labor's Order No. 8-2020 (85 FR 58393, Sept. 18, 2020), and 29 CFR 1910.7.

Signed at Washington, DC, on May 20, 2024.

James S. Frederick,

Deputy Assistant Secretary of Labor for Occupational Safety and Health.

[FR Doc. 2024-11558 Filed 5-24-24; 8:45 am]

BILLING CODE 4510-26-P

DEPARTMENT OF LABOR

Occupational Safety and Health Administration

[Docket No. OSHA-2013-0016]

Nemko North America, Inc.: Application for Expansion of Recognition

AGENCY: Occupational Safety and Health Administration (OSHA), Labor.

ACTION: Notice.

SUMMARY: In this notice, OSHA announces the application of Nemko North America, Inc. (NNA) for expansion of recognition as a Nationally Recognized Testing Laboratory (NRTL) and presents the agency's preliminary finding to grant the application.

DATES: Submit comments, information, and documents in response to this notice, or requests for an extension of time to make a submission, on or before June 12, 2024.

ADDRESSES: Comments may be submitted as follows:

Electronically: You may submit comments, including attachments, electronically at <https://www.regulations.gov>, the Federal eRulemaking Portal. Follow the online instructions for submitting comments.

Instructions: All submissions must include the agency's name and the docket number for this rulemaking (Docket No. OSHA-2013-0016). All comments, including any personal information you provide, are placed in the public docket without change and may be made available online at <https://www.regulations.gov>. Therefore, OSHA cautions commenters about submitting information they do not want made available to the public, or submitting materials that contain personal information (either about themselves or others), such as Social Security numbers and birthdates.

Docket: To read or download comments or other material in the docket, go to <https://www.regulations.gov>. Documents in the docket (including this **Federal Register** notice) are listed in the <https://www.regulations.gov> index; however, some information (e.g., copyrighted material) is not publicly available to read or download through the website. All submissions, including copyrighted material, are available for inspection through the OSHA Docket Office. Contact the OSHA Docket Office at (202) 693-2350 (TTY (877) 889-5627) for assistance in locating docket submissions.

Extension of comment period: Submit requests for an extension of the

comment period on or before June 12, 2024 to the Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor, 200 Constitution Avenue NW, Room N-3653, Washington, DC 20210, or by fax to (202) 693-1644.

FOR FURTHER INFORMATION CONTACT: Information regarding this notice is available from the following sources:

Press inquiries: Contact Mr. Frank Meilinger, Director, OSHA Office of Communications, U.S. Department of Labor by phone: (202) 693-1999 or email: meilinger.francis@dol.gov.

General and technical information: Contact Mr. Kevin Robinson, Director, Office of Technical Programs and Coordination Activities, Directorate of Technical Support and Emergency Management, Occupational Safety and Health Administration, U.S. Department of Labor by phone: (202) 693-1911 or email: robinson.kevin@dol.gov.

SUPPLEMENTARY INFORMATION:

I. Notice of the Application for Expansion

OSHA is providing notice that Nemko North America, Inc. (NNA) is applying for expansion of the current recognition as a NRTL. NNA requests the addition of nineteen recognized testing standards and one recognized testing site to the NRTL scope of recognition.

OSHA recognition of a NRTL signifies that the organization meets the

requirements specified in 29 CFR 1910.7. Recognition is an acknowledgment that the organization can perform independent safety testing and certification of the specific products covered within its scope of recognition. Each NRTL's scope of recognition includes (1) the type of products the NRTL may test, with each type specified by its applicable test standard; and (2) the recognized site(s) that has/have the technical capability to perform the product-testing and product-certification activities for test standards within the NRTL's scope. Recognition is not a delegation or grant of government authority; however, recognition enables employers to use products approved by the NRTL to meet OSHA standards that require product testing and certification.

The agency processes an application by a NRTL for initial recognition and for an expansion or renewal of this recognition, following requirements in Appendix A, 29 CFR 1910.7. This appendix requires that the agency publish two notices in the **Federal Register** in processing an application. In the first notice, OSHA announces the application and provides its preliminary finding. In the second notice, the agency provides the final decision on the application. These notices set forth the NRTL's scope of recognition or modifications of that scope. OSHA maintains an informational web page for each NRTL, including NNA, which details the NRTL's scope of recognition. These pages are available from the OSHA website at: <https://www.osha.gov/nationally-recognized-testing-laboratory-program>.

www.osha.gov/nationally-recognized-testing-laboratory-program.

NNA currently has two facilities (sites) recognized by OSHA for product testing and certification, with its headquarters located at: Nemko North America, Inc., 2210 Faraday Avenue, Suite 150, Carlsbad, California 92008. A complete list of NNA's scope of recognition (including sites recognized by OSHA) is available at: <https://www.osha.gov/nationally-recognized-testing-laboratory-program>.

II. General Background on the Application

NNA submitted an application to OSHA for expansion of the NRTL scope of recognition. The application, dated October 24, 2023 (OSHA-2013-0016-0026), requested the expansion of the NRTL scope of recognition to include one additional test site located at: 1601 N A.W. Grimes Blvd., Suite B, Round Rock, Texas 78665 and nineteen additional test standards. OSHA staff performed an on-site review of NNA's testing facilities at NNA Austin, Texas on January 23-24, 2024, in which assessors found some nonconformances with the requirements of 29 CFR 1910.7. NNA has addressed these issues sufficiently, and OSHA staff has preliminarily determined that OSHA should grant the application.

Table 1 below lists the appropriate test standards found in NNA's application for expansion for testing and certification of products under the NRTL Program.

TABLE 1—PROPOSED LIST OF APPROPRIATE TEST STANDARDS FOR INCLUSION IN NNA'S NRTL SCOPE OF RECOGNITION

Test standard	Test standard title
UL 60079-0	Explosive Atmospheres—Part 0: Equipment—General Requirements.
UL 60079-1	Explosive Atmospheres—Part 1: Equipment Protection by Flameproof Enclosures “d”.
UL 60079-2	Explosive Atmospheres—Part 2: Equipment Protection by Pressurized Enclosures “p”.
UL 60079-5	Explosive Atmospheres—Part 5: Equipment Protection by Powder Filling “q”.
UL 60079-6	Explosive Atmospheres—Part 6: Equipment Protection by Oil Immersion “o”.
UL 60079-7	Explosive Atmospheres—Part 7: Equipment Protection by Increased Safety “e”.
UL 60079-11	Explosive Atmospheres—Part 11: Equipment Protection by Intrinsic Safety “i”.
UL 60079-15	Explosive Atmospheres—Part 15: Equipment Protection by Type of Protection “n”.
UL 60079-18	Explosive Atmospheres—Part 18: Equipment Protection by Encapsulation “m”.
UL 60079-25	Explosive Atmospheres—Part 25: Intrinsically Safe Electrical Systems.
UL 60079-28	Standard for Explosive Atmospheres—Part 28: Protection of Equipment and Transmission Systems Using Optical Radiation.
UL 60079-31	Standard for Explosive Atmospheres—Part 31: Equipment Dust Ignition Protection Enclosure “t”.
NFPA 496	Purged and Pressurized Enclosures for Electrical Equipment.
UL 913	Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II and III, Division I, Hazardous (Classified) Locations.
UL 121201	Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Division 1 and 2 Hazardous (Classified) Locations.
TIA 4950	Requirements for Battery-Powered, Portable Land Mobile Radio Applications in Class I, II, and III, Division I, Hazardous (Classified) Locations.
UL 1203	Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations.
UL 674	Electric Motors and Generators for Use in Hazardous (Classified) Locations.
UL 698A	Industrial Control Panels Relating to Hazardous (Classified) Locations.

III. Preliminary Findings on the Application

NNA submitted acceptable application for expansion of the NRTL scope of recognition. OSHA's review of the application files, and pertinent documentation, indicate that NNA can meet the requirements prescribed by 29 CFR 1910.7 for expanding their recognition to include the addition of nineteen additional testing standards and one additional testing site for NRTL testing and certification. This preliminary finding does not constitute an interim or temporary approval of NNA's application. OSHA seeks comment on this preliminary determination.

IV. Public Participation

OSHA welcomes public comment as to whether NNA meets the requirements of 29 CFR 1910.7 for expansion of recognition as a NRTL. Comments should consist of pertinent written documents and exhibits.

Commenters needing more time to comment must submit a request in writing, stating the reasons for the request by the due date for comments. OSHA will limit any extension to 10 days unless the requester justifies a longer time period. OSHA may deny a request for an extension if it is not adequately justified.

To review copies of the exhibits identified in this notice, as well as comments submitted to the docket, contact the Docket Office, Occupational Safety and Health Administration, U.S. Department of Labor. These materials also are generally available online at <https://www.regulations.gov> under Docket No. OSHA-2013-0016 (for further information, see the "Docket" heading in the section of this notice titled ADDRESSES).

OSHA staff will review all comments to the docket submitted in a timely manner. After addressing the issues raised by these comments, staff will make a recommendation to the Assistant Secretary of Labor for Occupational Safety and Health on whether to grant NNA's application for expansion of the scope of recognition. The Assistant Secretary will make the final decision on granting the application. In making this decision, the Assistant Secretary may undertake other proceedings prescribed in Appendix A to 29 CFR 1910.7.

OSHA will publish a public notice of the final decision in the **Federal Register**.

V. Authority and Signature

James S. Frederick, Deputy Assistant Secretary of Labor for Occupational

Safety and Health, 200 Constitution Avenue NW, Washington, DC 20210, authorized the preparation of this notice. Accordingly, the agency is issuing this notice pursuant to Section 29 U.S.C. 657(g)(2), Secretary of Labor's Order No. 8-2020 (85 FR 58393; Sept. 18, 2020), and 29 CFR 1910.7.

Signed at Washington, DC, on May 20, 2024.

James S. Frederick,

Deputy Assistant Secretary of Labor for Occupational Safety and Health.

[FR Doc. 2024-11557 Filed 5-24-24; 8:45 am]

BILLING CODE 4510-26-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 50-423; NRC-2024-0102]

Dominion Energy Nuclear Connecticut, Inc.; Millstone Power Station, Unit No. 3; Exemption

AGENCY: Nuclear Regulatory Commission.

ACTION: Notice; issuance.

SUMMARY: The U.S. Nuclear Regulatory Commission (NRC) has issued an exemption in response to an exemption request from Dominion Energy Nuclear Connecticut, Inc. (DENC, the licensee) submitted by letter dated May 2, 2023.

DATES: The exemption was issued on May 21, 2024.

ADDRESSES: Please refer to Docket ID NRC-2024-0102 when contacting the NRC about the availability of information regarding this document. You may obtain publicly available information related to this document using any of the following methods:

- *Federal Rulemaking Website:* Go to <https://www.regulations.gov> and search for Docket ID NRC-2024-0102. Address questions about Docket IDs in *Regulations.gov* to Stacy Schumann; telephone: 301-415-0624; email: Stacy.Schumann@nrc.gov. For technical questions, contact the individual listed in the **FOR FURTHER INFORMATION CONTACT** section of this document.

- *NRC's Agencywide Documents Access and Management System (ADAMS):* You may obtain publicly available documents online in the ADAMS Public Documents collection at <https://www.nrc.gov/reading-rm/adams.html>. To begin the search, select "Begin Web-based ADAMS Search." For problems with ADAMS, please contact the NRC's Public Document Room (PDR) reference staff at 1-800-397-4209, at 301-415-4737, or by email to PDR.Resource@nrc.gov. The ADAMS accession number for each document

referenced (if it is available in ADAMS) is provided the first time that it is mentioned in this document. The request for the exemption was submitted by letter dated May 2, 2023 (ADAMS Accession No. ML23123A279), as supplemented by letter dated April 1, 2024 (ADAMS Accession No. ML24093A216).

- *NRC's PDR:* The PDR, where you may examine and order copies of publicly available documents, is open by appointment. To make an appointment to visit the PDR, please send an email to PDR.Resource@nrc.gov or call 1-800-397-4209 or 301-415-4737, between 8 a.m. and 4 p.m. eastern time (ET), Monday through Friday, except Federal holidays.

FOR FURTHER INFORMATION CONTACT:

Richard Guzman, Office of Nuclear Reactor Regulation, U.S. Nuclear Regulatory Commission, Washington, DC 20555-0001, telephone: 301-415-1030; email: Richard.Guzman@nrc.gov.

SUPPLEMENTARY INFORMATION: The licensee is the holder of Renewed Facility Operating License No. NPF-49, which authorizes operation of Millstone Power Station, Unit No. 3 (Millstone 3), a pressurized-water reactor. The license provides, among other things, that the facility is subject to all rules, regulations, and orders of the NRC now or hereafter in effect. By letter dated May 2, 2023, as supplemented by letter dated April 1, 2024, DENC requested an exemption to section 50.46 of title 10 of the *Code of Federal Regulations* (10 CFR), "Acceptance criteria for emergency core cooling systems for light-water nuclear power reactors," and 10 CFR part 50, appendix K, "ECCS [Emergency Core Cooling Systems] Evaluation Models," for Millstone 3. The text of the exemption is attached.

Dated: May 21, 2024.

For the Nuclear Regulatory Commission.

Richard V. Guzman,

Senior Project Manager, Plant Licensing Branch 1, Division of Operating Reactor Licensing, Office of Nuclear Reactor Regulation.

Attachment—Exemption

Nuclear Regulatory Commission

Docket No. 50-423

Dominion Energy Nuclear Connecticut, Inc.; Millstone Power Station, Unit No. 3; Exemption

I. Background

Dominion Energy Nuclear Connecticut, Inc. (DENC, the licensee) is the holder of Renewed Facility Operating License No. NPF-49, which authorizes operation of Millstone Power