

### **Protecting Workers from** Slips, Trips and Falls during **Disaster Response**

Responding to natural and man-made disasters puts emergency response workers at risk of injury or death from slips, trips and falls.

Steps employers must take to keep workers safe:

- Conduct pre-incident disaster response planning and ensure that emergency workers know the plan.
- Assess the workplace to determine if hazards are present. or are likely to be present.
- Provide protective equipment to prevent slips, trips and falls including:
  - Slip-resistant footwear (e.g., rubber soles).
  - Gloves so workers can grip railings/ladders safely to steady themselves.
  - Head protection
  - Personal fall protection
- Train workers to identify hazards, including those that require protective equipment, and how to prevent injury.

### **Ways to Prevent Slips, Trips and Falls**

Where possible, avoid walking on wet/slippery surfaces; wipe off the bottom of wet footwear.

- Use flashlights or helmet lights to stay clear of holes or floor openings, wet or slippery surfaces, and debris or equipment.
- Do not step on any surface until you have visually inspected it to ensure there are no holes or weak spots and that it can support workers and their equipment.
- Never carry equipment or loads in your hands when climbing ladders.
- · Wear backpacks and tool belts to hold equipment and keep both hands free.
- · Use fall protection when walking or performing emergency response activities near unprotected edges of elevated surfaces.
- Use communication devices, particularly hands-free devices, for contacting employers/incident commanders and other workers about slip, trip and fall hazards.

### Remember

When in doubt about the safety of an activity, stop and notify a supervisor.



For more information:

Occupational Safety and Health Administration

osha.gov (800) 321-OSHA (6742)



# Protegendo os trabalhadores de escorregões, tropeções e quedas durante a resposta a desastres

Responder a desastres naturais e provocados pelo homem coloca os trabalhadores de emergência em risco de ferimentos ou morte devido a escorregões, tropeções e quedas.

Medidas que os empregadores devem tomar para manter os trabalhadores seguros:

- Conduza o planejamento de resposta a desastres antes do incidente e assegure-se de que os trabalhadores de emergência conheçam o plano.
- Avalie o local de trabalho para determinar se os perigos estão presentes ou podem estar presentes.
- Forneça equipamento de proteção para evitar escorregões, tropeções e quedas, incluindo:
  - Calcado antiderrapante (por exemplo, sola de borracha).
  - Luvas para que os trabalhadores possam segurar os corrimãos/escadas com segurança para se firmar.
  - Proteção de cabeça
  - Proteção individual contra quedas
- Treinar trabalhadores para identificar perigos, incluindo aqueles que requerem equipamento de proteção, e como prevenir lesões.

## Maneiras de evitar escorregões, tropecões e quedas

Sempre que possível, evite andar em superfícies molhadas/ escorregadias; limpe a sola do calçado molhado.

- Use lanternas ou luzes de capacete para ficar longe de buracos ou aberturas no chão, superfícies molhadas ou escorregadias e detritos ou equipamentos.
- Não pise em nenhuma superfície antes de inspecionála visualmente para garantir que não haja buracos ou pontos fracos e que possa suportar os trabalhadores e seus equipamentos.
- Nunca carregue equipamentos ou cargas nas mãos ao subir escadas.
- Use mochilas e cintos de ferramentas para segurar o equipamento e mantenha as duas mãos livres.
- Use proteção contra quedas ao caminhar ou realizar atividades de resposta a emergências perto de bordas desprotegidas de superfícies elevadas.
- Use dispositivos de comunicação, especialmente dispositivos viva-voz, para contatar empregadores/ comandantes de incidentes e outros trabalhadores sobre riscos de escorregar, tropeçar e cair.

#### Lembre-se

 Quando tiver dúvida sobre a segurança de uma atividade, pare e notifique um supervisor.



Por mais informação:

SHA® Administração de Segurança e Saúde Ocupacional